



Vinyl-Dipped Caps and Protectors

SHORT CAPS



Flexible vinyl Short Caps fit snugly without cracking or splitting. They have excellent insulation qualities and resist weather, moisture and chemicals. Suitable for almost any application including colour coding, thread protectors, insulators, seals, cable ends, electronic wiring, tools, decorations, masks, etc.

Hundreds of stock sizes. Others can be produced to your specs where quantities warrant.

Also available in high temperature resistant material. Hi-temp series has been used at up to 440°F for extended periods without breakdown. Minimum quantities will apply.

Part Numbers

Please use the following system for part numbers:
VSC [ID in decimals] X [Length in decimals].
For instance, a cap with ID of .062" and length of 3/8" would be part number VSC 062X.375.

Stock Sizes

Most sizes stocked in 1/2", 1" and 1-1/2" lengths. Short Caps are also available in almost any length in .062" increments with a minimum length of .187". For sizes not shown here, please see Standard Short Caps and Long Caps sections.

In-Stock Programme

The following sizes can be ordered from stock in black or red. Non-stock colours: white, blue, green, orange, yellow and gray.

| Inside Diameters* | X | Inside Lengths |
|-------------------------|---|--------------------|
| .062, .080, .093 | X | 3/8, 1/2, 3/4 |
| .112 | X | 3/8, 1/2, 3/4, 1 |
| .125, .137, .142, .156 | X | 1/2, 3/4, 1, 1-1/2 |
| .172, .187, .207, .219 | | |
| .234, .250, .281, .313 | | |
| .343, .375, .406, .437 | | |
| .468, .500, .531, .562 | | |
| .625, .687, .750, .812 | | |
| .843, .875, .937, 1.000 | | |

Stock colours: Black or red.

| Inside Diameters* | X | Inside Lengths |
|-----------------------------|---|----------------|
| 1.062 | X | 1, 1-1/2 |
| 1.187, 1.375, 1.500 | X | 1-1/2 |
| 1.625, 1.687, 1.750, | | |
| 2.000, 2.250, 2.500, 2.750, | | |
| 3.000, 3.500, 4.000 | X | 1-3/4 |

Minimum order 1000.

***Use an undersized diameter for a tight fit.**
For example, if your outside diameter is 1/2", use a .437 cap.

LONG CAPS




Long Caps come in diameters ranging from 3/16" through 3-1/2". Most sizes are available in inside lengths up to 5-1/4", in 1/16" increments and many are available to 8" lengths. Excellent as pipe protectors, grips, caps for boiler tubes, connectors and cable end seals. Tough and durable, Long Caps are also used in many masking applications.



Vinyl-Dipped Caps and Protectors CONTINUED

STANDARD SHORT CAPS



NOTE: We suggest a slightly undersized diameter for a tight fit due to the softness and flexibility of these caps. For example, if the OD is .500, use a .437 Short Cap.

| Part No. | Inside Dia. A | Max. Inside Length B | Nominal Wall Thickness C | Part No. | Inside Dia. A | Max. Inside Length B | Nominal Wall Thickness C |
|---------------|---------------|----------------------|--------------------------|----------------|---------------|----------------------|--------------------------|
| VSC 062X.500 | .062 | .500 | .028 | VSC 812X1.500 | .812 | 1.500 | .060 |
| VSC 080X.500 | .080 | .500 | .028 | VSC 843X1.500 | .843 | 1.500 | .060 |
| VSC 093X.750 | .093 | .750 | .028 | VSC 875X1.500 | .875 | 1.500 | .060 |
| VSC 112X1.000 | .112 | 1.000 | .030 | VSC 937X1.500 | .937 | 1.500 | .060 |
| VSC 125X1.500 | .125 | 1.500 | .033 | VSC 950X1.500 | .950 | 1.500 | .060 |
| VSC 137X1.500 | .137 | 1.500 | .033 | VSC 1000X1.500 | 1.000 | 1.500 | .060 |
| VSC 142X1.500 | .142 | 1.500 | .033 | VSC 1062X1.500 | 1.062 | 1.500 | .065 |
| VSC 151X1.500 | .151 | 1.500 | .038 | VSC 1125X1.500 | 1.125 | 1.500 | .065 |
| VSC 156X1.500 | .156 | 1.500 | .038 | VSC 1187X1.500 | 1.187 | 1.500 | .065 |
| VSC 172X1.500 | .172 | 1.500 | .038 | VSC 1250X1.500 | 1.250 | 1.500 | .065 |
| VSC 187X1.500 | .187 | 1.500 | .038 | VSC 1313X1.500 | 1.313 | 2.000 | .065 |
| VSC 207X1.500 | .207 | 1.500 | .038 | VSC 1375X1.500 | 1.375 | 1.500 | .065 |
| VSC 219X1.500 | .219 | 1.500 | .038 | VSC 1500X1.500 | 1.500 | 1.500 | .065 |
| VSC 234X1.500 | .234 | 1.500 | .038 | VSC 1625X1.500 | 1.625 | 1.500 | .065 |
| VSC 240X1.500 | .240 | 1.500 | .038 | VSC 1687X1.500 | 1.687 | 1.500 | .065 |
| VSC 250X1.500 | .250 | 1.500 | .042 | VSC 1750X1.500 | 1.750 | 1.500 | .065 |
| VSC 281X2.500 | .281 | 2.500 | .042 | VSC 1875X2.000 | 1.875 | 2.000 | .065 |
| VSC 313X1.500 | .313 | 1.500 | .042 | VSC 2000X1.500 | 2.000 | 1.500 | .065 |
| VSC 331X1.500 | .331 | 1.500 | .042 | VSC 2125X1.750 | 2.125 | 1.750 | .065 |
| VSC 343X2.500 | .343 | 2.500 | .042 | VSC 2250X1.500 | 2.250 | 1.500 | .065 |
| VSC 375X1.500 | .375 | 1.500 | .042 | VSC 2375X1.500 | 2.375 | 1.500 | .065 |
| VSC 406X2.500 | .406 | 2.500 | .055 | VSC 2500X1.500 | 2.500 | 1.500 | .065 |
| VSC 420X1.500 | .420 | 1.500 | .055 | VSC 2625X1.750 | 2.625 | 1.750 | .065 |
| VSC 437X1.500 | .437 | 1.500 | .055 | VSC 2750X1.500 | 2.750 | 1.500 | .065 |
| VSC 468X2.500 | .468 | 2.500 | .055 | VSC 3000X1.500 | 3.000 | 1.500 | .065 |
| VSC 500X1.500 | .500 | 1.500 | .055 | VSC 3125X1.750 | 3.125 | 1.750 | .065 |
| VSC 531X2.500 | .531 | 2.500 | .060 | VSC 3250X1.500 | 3.250 | 1.500 | .065 |
| VSC 562X1.500 | .562 | 1.500 | .060 | VSC 3500X1.500 | 3.500 | 1.500 | .065 |
| VSC 625X1.500 | .625 | 1.500 | .060 | VSC 3625X1.750 | 3.625 | 1.750 | .065 |
| VSC 687X1.500 | .687 | 1.500 | .060 | VSC 4000X1.750 | 4.000 | 1.750 | .065 |
| VSC 730X1.500 | .730 | 1.500 | .060 | VSC 4750X2.000 | 4.750 | 2.000 | .065 |
| VSC 750X1.500 | .750 | 1.500 | .060 | | | | |

Standard colours: **Black, red.**
Also available in white, blue, green, orange, yellow, gray.



Vinyl-Dipped Caps and Protectors CONTINUED

RECTANGULAR VINYL CLOSURES



R-Caps (Rectangular Caps) offer the largest variety of these normally hard-to-find caps in all popular sizes. Flexible and easy to work with, R-Caps are used on flat wire or bar stock as decorators, lever covers, identifiers, or handle grips. Choose the size, length and bright colour you need.

FLANGE COVERS



Tough, resilient, vinyl ASA flange covers protect critical flange faces and prevent interior damage and contamination.

These covers fit most American Standard Association, Navy and Military sizes and work with most tubing, including Marman, flared and beaded. Tough and flexible, FC-series covers can also be used on joints and flanges. Fit most tubing sizes up to 6-1/2". Both types are available in bright yellow.

E-Z TAB CAPS



Tough, flexible vinyl caps with convenient extra-long pull tab that makes for easy removal and application. Go on snugly and stay put for a superior seal. Can be used as a paint mask, shipping cap or thread protector.